Printing date 10/28/2019

Reviewed on 10/28/2019

## **1** Identification

- · Product identifier
- Trade name: <u>Hi- Tech PE 65 A</u>
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Progressive Fastening Systems Hi-Tech Systems 1190 N. Del Rio Place Ontario CA, 91764 www.hitechpolyurea.com

Phone (909) 945-5530 Fax (909) 945-3009

· Information department: Product Safety Department

• Emergency telephone number: INFOTRAC (24 HOURS) USA 1 800-533-5053 / INTERNATIONAL 1-352-323-3500 USE ONLY FOR HAZARDOUS MATERIALS OR DANGEROUS GOODS INCIDENT - SPILLS, LEAKS, FIRE, EXPOSURE, OR ACCIDENT CN 109479

## 2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

GHS07

Acute Tox. 4H332Harmful if inhaled.Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.Skin Sens. 1H317May cause an allergic skin reaction.STOT SE 3H335May cause respiratory irritation.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling:* 4,4'-methylenediphenyl diisocyanate methylenediphenyl diisocyanate

Hazard statements Harmful if inhaled. Causes skin irritation. Causes serious eye irritation.

(Contd. on page 2)

<sup>-</sup> US

Printing date 10/28/2019

Reviewed on 10/28/2019

## Trade name: Hi- Tech PE 65 A

(Contd. of page 1)
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Suspected of causing cancer.
May cause respiratory irritation.
May cause damage to organs through prolonged or repeated exposure.
· Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
[In case of inadequate ventilation] wear respiratory protection.
If on skin: Wash with plenty of water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
<i>IF exposed or concerned: Get medical advice/attention.</i>
Call a poison center/doctor if you feel unwell.
Specific treatment (see on this label).
Get medical advice/attention if you feel unwell.
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor.
Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 2
Fire = $1$
2 $0$ Reactivity = 0
HMIS-ratings (scale 0 - 4)
HEALTH *2 $Health = *2$
FIRE 1 $Fire = l$
<b>REACTIVITY</b> [0] Reactivity = 0
• Other hazards
Results of PBT and vPvB assessment
• <b>PBT:</b> Not applicable.
• <b>vPvB:</b> Not applicable.
3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

<sup>-</sup> US

Printing date 10/28/2019

Reviewed on 10/28/2019

Trade name: Hi- Tech PE 65 A

(Contd. of page 2)

· Dangerous	components:	
101-68-8	4,4'-methylenediphenyl diisocyanate	25–50%
26447-40-5	methylenediphenyl diisocyanate	0.3–1%

# 4 First-aid measures

#### · Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- *Protective equipment:* Mouth respiratory protective device.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

	· PAC-1:		
	101-68-8	4,4'-methylenediphenyl diisocyanate	$0.45 mg/m^3$
Ī	26447-40-5	methylenediphenyl diisocyanate	29 mg/m <sup>3</sup>
			(Contd. on page 4)
			LIS

US

Printing date 10/28/2019

Reviewed on 10/28/2019

Trade name: Hi- Tech PE 65 A

		(Contd. of page 3)
· PAC-2:		
101-68-8	4,4'-methylenediphenyl diisocyanate	5 mg/m <sup>3</sup>
26447-40-5	methylenediphenyl diisocyanate	$40 mg/m^3$
· PAC-3:		
101-68-8	4,4'-methylenediphenyl diisocyanate	55 mg/m <sup>3</sup>
26447-40-5	methylenediphenyl diisocyanate	240 mg/m <sup>3</sup>

## 7 Handling and storage

· Handling:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.*
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

### 101-68-8 4,4'-methylenediphenyl diisocyanate

- *PEL Ceiling limit value: 0.2 mg/m<sup>3</sup>, 0.02 ppm*
- REL Long-term value: 0.05 mg/m<sup>3</sup>, 0.005 ppm Ceiling limit value: 0.2\* mg/m<sup>3</sup>, 0.02\* ppm \*10-min

*TLV* Long-term value: 0.051 mg/m<sup>3</sup>, 0.005 ppm

• Additional information: The lists that were valid during the creation were used as basis.

#### • Exposure controls

· Personal protective equipment:

- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.

### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

<sup>-</sup> US

(Contd. of page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 10/28/2019

Reviewed on 10/28/2019

Trade name: Hi- Tech PE 65 A

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	slight odour	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	200 °C (392 °F)	
Flash point:	94 °C (201.2 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	0 hPa	
Density:	Not determined.	
Relative density	Not determined.	

Printing date 10/28/2019

Reviewed on 10/28/2019

Trade name: Hi- Tech PE 65 A

		(Contd. of page 5
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octand	<i>l/water):</i> Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
• Other information	No further relevant information available.	

### 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

Oral LD50 3,718–7,071 mg/kg

Inhalative LC50/4 h 2.94–5.93 mg/l

#### 101-68-8 4,4'-methylenediphenyl diisocyanate

Oral LD50 2,200 mg/kg (mouse)

13674-84-5 tris(2-chlorisopropyl)-phosphate

### *Oral LD50 3,600 mg/kg (rat)*

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

· Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

(Contd. on page 7)

Printing date 10/28/2019

Reviewed on 10/28/2019

Trade name: Hi- Tech PE 65 A

(Contd. of page 6)

3

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

101-68-8 4,4'-methylenediphenyl diisocyanate • NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.* 

· UN-Number		
· DOT, IMDG, IATA	not regulated	
· UN proper shipping name		
· DOT, ÎMDG, ÎATĂ	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	not regulated	
· Packing group		
· DOT, IMDG, IATA	not regulated	

Printing date 10/28/2019

Reviewed on 10/28/2019

Trade name: Hi- Tech PE 65 A

(Contd. of page 7)

		( 10 )
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex A MARPOL73/78 and the IBC Code	<b>I of</b> Not applicable.	
· UN "Model Regulation":	not regulated	

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):101-68-84,4'-methylenediphenyl diisocyanate

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

101-68-8 4,4'-methylenediphenyl diisocyanate

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

101-68-8 4,4'-methylenediphenyl diisocyanate

D, CBD

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

(Contd. on page 9)

<sup>–</sup> US

Printing date 10/28/2019

Reviewed on 10/28/2019

#### Trade name: Hi- Tech PE 65 A

	(Contd. of page 8)
Hazard-determining components of labeling:	
4,4'-methylenediphenyl diisocyanate	
methylenediphenyl diisocyanate	
Hazard statements	
Harmful if inhaled.	
Causes skin irritation.	
Causes serious eye irritation.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
Suspected of causing cancer.	
May cause respiratory irritation.	
May cause damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If on skin: Wash with plenty of water.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	and easv to do.
Continue rinsing.	2
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Get medical advice/attention if you feel unwell.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	<i>S</i> .
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Date of preparation / last revision 10/28/2019 / -• Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 10)

<sup>-</sup> US

Printing date 10/28/2019

Reviewed on 10/28/2019

# Trade name: Hi- Tech PE 65 A

	(Contd. of page 9)
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 2: Carcinogenicity – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
* * Data compared to the previous version altered.	
A A	US

Printing date 10/28/2019

Reviewed on 10/28/2019

## **1** Identification

- · Product identifier
- Trade name: <u>Hi-Tech PE 65 B</u>
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Progressive Fastening Systems Hi-Tech Systems 1190 N. Del Rio Place Ontario CA, 91764 www.hitechpolyurea.com

Phone (909) 945-5530 Fax (909) 945-3009

· Information department: Product Safety Department

• Emergency telephone number: INFOTRAC (24 HOURS) USA 1 800-533-5053 / INTERNATIONAL 1-352-323-3500 USE ONLY FOR HAZARDOUS MATERIALS OR DANGEROUS GOODS INCIDENT - SPILLS, LEAKS, FIRE, EXPOSURE, OR ACCIDENT CN 109479

### 2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

GHS07

*Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction.* 

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

Hazard-determining components of labeling: diethylmethylbenzenediamine Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate
Hazard statements Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

US

Printing date 10/28/2019

Reviewed on 10/28/2019

#### Trade name: Hi-Tech PE 65 B

(Contd. of page 1) If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label). If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 1Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2Fire = 1FIRE 1 **REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

68479-98-1 diethylmethylbenzenediamine

41556-26-7 Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate

### 4 First-aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

10.0%

0.1-0.2%

• US

Printing date 10/28/2019

Reviewed on 10/28/2019

### Trade name: Hi-Tech PE 65 B

#### • *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- *Ensure adequate ventilation. Reference to other sections*
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

• PAC-1:		
102-60-3	1,1',1"',1"'-ethylenedinitrilotetrapropan-2-ol	34 mg/m <sup>3</sup>
1305-78-8	calcium oxide	6 mg/m <sup>3</sup>
· PAC-2:		
	1,1',1"',1"'-ethylenedinitrilotetrapropan-2-ol	370 mg/m <sup>3</sup>
1305-78-8	calcium oxide	110 mg/m <sup>3</sup>
• PAC-3:		
102-60-3	1,1',1"',1"'-ethylenedinitrilotetrapropan-2-ol	$2,200 \text{ mg/m}^3$
1305-78-8	calcium oxide	660 mg/m <sup>3</sup>

## 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

(Contd. of page 2)

<sup>–</sup> US

Printing date 10/28/2019

Reviewed on 10/28/2019

#### Trade name: Hi-Tech PE 65 B

(Contd. of page 3)

• Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 10/28/2019

Reviewed on 10/28/2019

#### Trade name: Hi-Tech PE 65 B

(Contd. of page 4)

Physical and chemical proper		
Information on basic physical and	chemical properties	
General Information		
Appearance:	Limid	
Form: Color:	Liquid Clear	
Odor:	slight odour	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
•	Noi ueiei minea.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	94 °C (201.2 °F)	
Flash point:	200 °C (392 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	t <b>er):</b> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Other information	No further relevant information available.	

# 10 Stability and reactivity

· *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.

• *Incompatible materials:* No further relevant information available.

(Contd. on page 6)

US

(Contd. of page 5)

## Safety Data Sheet acc. to OSHA HCS

Printing date 10/28/2019

Reviewed on 10/28/2019

#### Trade name: Hi-Tech PE 65 B

· Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

*Oral LD50 7,380 mg/kg (rat)* 

Dermal LD50 >20,000 mg/kg (rat)

#### 68479-98-1 diethylmethylbenzenediamine

Oral LD50 738 mg/kg (rat)

Dermal LD50 > 2,000 mg/kg (rat)

Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Irritant* 

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)

(Contd. of page 6)

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/28/2019

Reviewed on 10/28/2019

Trade name: Hi-Tech PE 65 B

**13 Disposal considerations** 

· Waste treatment methods

### · Recommendation:

\*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

· UN-Number	
DOT	not regulated
IMDG, IATA	UN3082
· UN proper shipping name	
DOT	not regulated
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S. (diethylmethylbenzenediamine, Bis(1,2,2,6,6-pentamethyl piperidyl) sebacate), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (diethylmethylbenzenediamine)
Transport hazard class(es)	
DOT	
Class	not regulated
Class Label	9 Miscellaneous dangerous substances and articles 9
Label	
	9
Label Packing group	
Label Packing group DOT IMDG, IATA Environmental hazards:	9 not regulated III
Label Packing group DOT IMDG, IATA Environmental hazards: Marine pollutant:	9 not regulated III Symbol (fish and tree)
Label Packing group DOT IMDG, IATA Environmental hazards:	9 not regulated III
Label Packing group DOT IMDG, IATA Environmental hazards: Marine pollutant: Special marking (IATA): Special precautions for user	9 not regulated III Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles
Label Packing group DOT IMDG, IATA Environmental hazards: Marine pollutant: Special marking (IATA): Special precautions for user Danger code (Kemler):	9 not regulated III Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles 90
Label Packing group DOT IMDG, IATA Environmental hazards: Marine pollutant: Special marking (IATA): Special precautions for user Danger code (Kemler): EMS Number:	9 not regulated III Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F
Label Packing group DOT IMDG, IATA Environmental hazards: Marine pollutant: Special marking (IATA): Special precautions for user Danger code (Kemler):	9 not regulated III Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles 90

Printing date 10/28/2019

Reviewed on 10/28/2019

Trade name: Hi-Tech PE 65 B

(Contd. of page 7)

· Transport/Additional information:	
· IMDG · Limited quantities (LQ)	51.
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (DIETHYLMETHYLBENZENEDIAMINE), 9, III

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

Printing date 10/28/2019

Reviewed on 10/28/2019

Trade name: Hi-Tech PE 65 B

Hazard nistograms	(Contd. of page 8)
Hazard pictograms	
$\wedge \wedge$	
GHS07 GHS08	
Signal word Warning	
Hazard-determining components of labeling:	
diethylmethylbenzenediamine	
Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	
Hazard statements	
Causes serious eye irritation.	
May cause an allergic skin reaction.	
May cause damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves / eye protection / face protection.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese	nt and easy to do.
Continue rinsing.	
Get medical advice/attention if you feel unwell.	
If skin irritation or rash occurs: Get medical advice/attention.	
Specific treatment (see on this label).	
If eye irritation persists: Get medical advice/attention.	
Wash contaminated clothing before reuse.	
Dispose of contents/container in accordance with local/regional/national/international regulati	ons.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 10/28/2019 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

(Contd. on page 10)

Printing date 10/28/2019

Reviewed on 10/28/2019

Trade name: Hi-Tech PE 65 B

Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 • \* **Data compared to the previous version altered.**  (Contd. of page 9)

US